THE OBVIOUS CHOICE

Product Catalogue



Obsidian Oil is an independent British trade lubricant brand. We supply garages, factors, fleets, farms and plant operators with consistent, specification-correct oil at a price that protects their margin.

72 PRODUCTS · 5 DIVISIONS
UK RANGE · OCTOBER 2026

INSIDE

The range

01	Automotive	29 products	1 L · 5 L · 20 L · 208 L drum
02	Commercial	13 products	20 L · 208 L drum · 1000 L IBC
03	Agricultural	10 products	20 L · 208 L drum · 1000 L IBC
04	Off-Highway	12 products	20 L · 208 L drum · 1000 L IBC
05	Power Generation	8 products	20 L · 208 L drum · 1000 L IBC

Why Obsidian Oil

Obvious value

The cheapest sensible choice, never a cheap one.

Consistent quality

Same spec, every drum, every time.

British and independent

Proudly home-grown and answerable to our customers.

Straight talking

Plain claims we can prove, with the spec code beside them.

Data sheets and safety data sheets are available on request.

DIVISION 01 · 29 PRODUCTS

Automotive

Built around the UK car parc: European and Japanese makes, a heavy diesel share and a fleet that has moved to low-SAPS oils for DPF and GPF protection.

1 L · 5 L · 20 L · 208 L drum



Core sellers

Fully synthetic, low-SAPS

PRODUCT	MEETS OR EXCEEDS	COMMON UK FIT
Obsidian Ultrex **5W-30**	ACEA C3 · MB 229.51 · VW 504 00 / 507 00 · dexos2 · BMW LL-04	VAG, BMW, Mercedes, Vauxhall. The UK's best-selling grade
Obsidian Ultrex **5W-30 C2/C3**	ACEA C2/C3 · PSA B71 2290	Peugeot, Citroën, Vauxhall
Obsidian Ultrex **5W-20**	Ford WSS-M2C948-B · ACEA C5	Ford EcoBoost petrol
Obsidian Ultrex **0W-30**	ACEA C2/C3 · VW 504 00 / 507 00	Late VW, Audi, Seat and Skoda petrol and diesel
Obsidian Ultrex **0W-30 C2**	ACEA C2 · PSA B71 2312 · Stellantis FPW9.55535/03 · Ford WSS-M2C950-A · JLR STJLR.03.5007	JLR Ingenium, Ford EcoBlue, Peugeot and Citroën PureTech and BlueHDi
Obsidian Ultrex **0W-20**	ACEA C5 · API SP · dexos1 · JLR STJLR.51.5122	Toyota and Lexus hybrids, JLR, Hyundai, Kia
Obsidian Ultrex **0W-20 VW 508/509**	VW 508 00 / 509 00 · Porsche C20 · ACEA C5	VW, Audi, Seat and Skoda from 2019 on, Golf 8 era petrol and TDI Evo, Porsche
Obsidian Ultrex **5W-40**	ACEA C3 · MB 229.51 · VW 502 00 / 505 00 · BMW LL-04 · RN0710	Older VAG, BMW, Mercedes, Renault diesels

Performance Fully synthetic

PRODUCT	MEETS OR EXCEEDS	COMMON UK FIT
Obsidian Ultrex **0W-40**	ACEA A3/B4 · MB 229.5 · VW 502 00 / 505 00 · Porsche A40	Porsche, AMG, high-output petrol
Obsidian Ultrex **10W-60**	BMW M-spec	BMW M cars, track use

Semi-synthetic High mileage

PRODUCT	MEETS OR EXCEEDS	COMMON UK FIT
Obsidian Syntra **10W-40**	ACEA A3/B4 · API SL/CF	Pre-2008 petrol and diesel, high-mileage cars
Obsidian Syntra **15W-40**	ACEA A3/B3	Older diesels, cost-conscious servicing

Older and classic Mineral

PRODUCT	MEETS OR EXCEEDS	COMMON UK FIT
Obsidian Heritage **20W-50**	API SL/CF	Classic cars, older British engines
Obsidian Heritage **Monograde SAE 30**	API SF/CC	Vintage engines, small engines
Obsidian Heritage **Monograde SAE 40**	API SF/CC	Vintage engines, air-cooled

Light commercial Van and LCV diesel

PRODUCT	MEETS OR EXCEEDS	COMMON UK FIT
Obsidian Fleet **5W-30**	ACEA C3 · low-SAPS · DPF compatible	Transit, Sprinter, Vivaro, Trafic
Obsidian Fleet **10W-40**	ACEA E7 · API CI-4	Older vans, mixed fleets

Transmission and driveline

PRODUCT	MEETS OR EXCEEDS	COMMON UK FIT
Obsidian ATF **Multi-Vehicle**	Dexron VI · Mercon LV · ZF · Aisin	Most modern automatics
Obsidian CVT Fluid	Multi-vehicle CVT	Nissan, Toyota, Honda, Subaru
Obsidian DCT Fluid	VW DSG DQ250 / DQ200	VAG dual-clutch boxes
Obsidian Gear Oil **75W-80**	API GL-4 · PSA B71 2330	Peugeot, Citroën, Vauxhall, Renault and Dacia manual gearboxes
Obsidian Gear Oil **75W-90**	Fully synthetic · API GL-5	Manual boxes and axles
Obsidian Gear Oil **80W-90**	API GL-5	Axles, older gearboxes
Obsidian Gear Oil **75W-140 LS**	API GL-5 · limited slip	LSD axles, 4x4

Coolants, brake and ancillaries

PRODUCT	MEETS OR EXCEEDS	COMMON UK FIT
Obsidian Antifreeze **OAT Concentrate**	ASTM D3306 · VW G12++ / G13 · red	Modern VAG and most European cars
Obsidian Antifreeze **Hybrid Concentrate**	BS 6580 · G11 / G48 · blue	Older European cars
Obsidian Brake Fluid **DOT 4**	Low-viscosity ESP / ABS grade	All modern cars
Obsidian Brake Fluid **DOT 5.1**	FMVSS 116	Performance and motorcycles
Obsidian Power Steering Fluid	Multi-vehicle	Hydraulic PAS systems

DIVISION 02 · 13 PRODUCTS

Commercial

Built around the UK truck, bus and coach fleet: DAF, Scania, Volvo, Mercedes-Benz Actros, MAN, Iveco and Renault Trucks.

20 L | 208 L drum | 1000 L IBC



Engine oils Heavy-duty diesel

PRODUCT	MEETS OR EXCEEDS	COMMON UK FIT
Obsidian Haulix **5W-30**	ACEA E6/E7 · low-SAPS · MB 228.51 · MAN M3477 · Volvo VDS-4	Euro 6 trucks with DPF, SCR and AdBlue; fuel-economy fleets
Obsidian Haulix **10W-30**	ACEA E6/E9 · low-SAPS · Volvo VDS-4.5 · Renault RLD-3 · MAN M3677	Euro 6 DAF, Volvo, Renault, Iveco
Obsidian Haulix **10W-40**	ACEA E4/E7 · MB 228.5 · MAN M3277 · Volvo VDS-3	Euro 5 and older trucks without DPF, long drains
Obsidian Haulix **15W-40**	ACEA E7 · API CI-4 · MB 228.3 · Volvo VDS-3 · Cummins CES 20078	Older and mixed fleets, buses and coaches

Engine oils, latest spec ACEA 2022 E8/E11, API CK-4

PRODUCT	MEETS OR EXCEEDS	COMMON UK FIT
Obsidian Haulix **5W-30 E8/E11**	ACEA E8/E11 · API CK-4 · Volvo VDS-4.5 · MB 228.31 · MAN M3677	Euro 6 fleets on the latest service specs, fuel economy
Obsidian Haulix **10W-30 E8/E11**	ACEA E8/E11 · API CK-4 · Volvo VDS-4.5 · Renault RLD-3 · Cummins CES 20086	Euro 6 DAF, Volvo, Renault and mixed Euro 6 fleets
Obsidian Haulix **10W-40 E8/E11**	ACEA E8/E11 · API CK-4 · MB 228.31 · MAN M3575 · Volvo VDS-4.5	Mixed Euro 5 and Euro 6 fleets, one oil for the yard
Obsidian Haulix **15W-40 E8/E11**	ACEA E8/E11 · API CK-4 · Volvo VDS-4.5 · Cummins CES 20086 · Mack EOS-4.5	Buses, coaches and mixed-age fleets

Driveline and ancillaries

PRODUCT	MEETS OR EXCEEDS	COMMON UK FIT
Obsidian Haulix Gear Oil 75W-90	Fully synthetic · API GL-5 · MAN 342 · ZF TE-ML 12	Drive axles and hub reduction, extended drains
Obsidian Haulix Gear Oil 80W-90	API GL-5 · MAN 342 M1	Axles on older trucks and trailers
Obsidian Haulix Transmission Fluid	ZF TE-ML 14 · Voith H55.6335 · Allison TES 295	Bus and coach automatic gearboxes
Obsidian Haulix Antifreeze Long-life OAT	ASTM D6210 · MB 325.3 · MAN 324 SNF	Heavy-duty cooling systems, all major makes
Obsidian Haulix Grease EP2 NLGI 2	Lithium EP	Fifth wheels, kingpins, chassis greasing

DIVISION 03 · 10 PRODUCTS

Agricultural

Built around the UK farm fleet: John Deere, Massey Ferguson, New Holland, Case IH, Fendt, Claas, JCB and Valtra.

20 L | 208 L drum | 1000 L IBC



PRODUCT	MEETS OR EXCEEDS	COMMON UK FIT
Obsidian Agri STOU 10W-30	API CG-4/SF · MF M1139 / M1145	Older Massey and mixed-fleet tractors
Obsidian Agri STOU 10W-40	ZF TE-ML 06/07	Mixed-fleet engine, transmission and hydraulics
Obsidian Agri STOU 15W-40	API CG-4/SF	Older tractors, one-oil farms
Obsidian Agri UTTO	JD J20C/D · MF M1135 / M1143 · Ford M2C134-D · Case MS1206 / 1207	Transmission and hydraulics, most makes
Obsidian Agri Tractor Hydraulic Fluid	Multi-OEM THF · JCB · ZF TE-ML 03	Loaders, telehandlers, tractor hydraulics
Obsidian Agri Engine Oil 15W-40	ACEA E7/E9 · API CI-4 · JD · MB 228.3	Pre-DPF tractors and combines
Obsidian Agri Engine Oil 10W-40	ACEA E6/E7 · low-SAPS	DPF, SCR and AdBlue tractors
Obsidian Agri Gear Oil 80W-90	API GL-5	Axles and final drives
Obsidian Agri Gear Oil 85W-140	API GL-5	Heavy-duty axles
Obsidian Agri Grease EP2 NLGI 2	Lithium EP	General farm greasing

DIVISION 04 · 12 PRODUCTS

Off-Highway

Built around the UK plant fleet: JCB, Caterpillar, Komatsu, Volvo CE, Hitachi and Terex.

20 L | 208 L drum | 1000 L IBC

PRODUCT	MEETS OR EXCEEDS	COMMON UK FIT
Obsidian SitePro Engine Oil 10W-40	ACEA E6/E7 · low-SAPS · MB 228.51	Tier 4 and Stage V plant
Obsidian SitePro Engine Oil 15W-40	ACEA E7 · API CI-4 · JCB	Older plant, mixed fleets
Obsidian SitePro Hydraulic Oil ISO 32	DIN 51524 Pt 2 HLP	Cold-start and light-duty systems
Obsidian SitePro Hydraulic Oil ISO 46	DIN 51524 Pt 2 HLP	The UK standard-duty grade
Obsidian SitePro Hydraulic Oil ISO 68	DIN 51524 Pt 2 HLP	Heavy duty, warm running
Obsidian SitePro Hydraulic Oil ISO 100	DIN 51524 Pt 2 HLP	High-load, high-temperature systems
Obsidian SitePro Biodegradable Hydraulic ISO 46	HEES · ISO 15380	Waterways and sensitive sites
Obsidian SitePro Final Drive Oil SAE 30	Cat TO-4 / C-4	Dozers, loaders, final drives
Obsidian SitePro Transmission Fluid SAE 10W	Cat TO-4	Powershift transmissions
Obsidian SitePro Slideway Oil ISO 68	DIN 51502 CGLP	Slideways and guideways
Obsidian SitePro EP Grease NLGI 2	Lithium EP	General plant greasing
Obsidian SitePro Moly Grease NLGI 2	Molybdenum disulphide	Pins, bushes, high-load points

DIVISION 05 · 8 PRODUCTS

Power Generation

Built around UK standby, prime-power and gas-to-power sites: Cummins, Perkins, FG Wilson, Caterpillar and MTU diesel gensets, and Jenbacher, MWM and Caterpillar gas engines.

20 L | 208 L drum | 1000 L IBC

Diesel generator oils

Standby and prime power

PRODUCT	MEETS OR EXCEEDS	COMMON UK FIT
Obsidian GenPro Diesel Engine Oil **15W-40**	ACEA E7 · API CI-4 · Cummins CES 20078 · MTU Type 2	Standby and prime-power gensets, hospitals, data centres
Obsidian GenPro Diesel Engine Oil **10W-40**	ACEA E6/E7 · low-SAPS · MTU Type 3.1	Stage V gensets with DPF and SCR

Gas engine oils

Stationary CHP and gas-to-power

PRODUCT	MEETS OR EXCEEDS	COMMON UK FIT
Obsidian GenPro Gas Engine Oil **SAE 40**	Low ash · INNIO Jenbacher TI 1000-1109 · MWM TR 0199-99-2105	Natural-gas CHP and grid-balancing engines
Obsidian GenPro Biogas Engine Oil **SAE 40**	Medium ash · high TBN for sour gas · Jenbacher TI 1000-1109	Anaerobic digestion, landfill and sewage gas

Turbine and ancillaries

PRODUCT	MEETS OR EXCEEDS	COMMON UK FIT
Obsidian GenPro Turbine Oil **ISO 32**	DIN 51515-1 · ISO 8068 · BS 489	Steam and gas turbines, high-speed sets
Obsidian GenPro Turbine Oil **ISO 46**	DIN 51515-1 · ISO 8068 · BS 489	Steam turbines, larger bearings
Obsidian GenPro Coolant **Long-life OAT**	ASTM D6210 · nitrite-free	Genset and gas-engine cooling systems
Obsidian GenPro EP Grease **NLGI 2**	Lithium complex EP	Alternator, fan and pump bearings

ORDERING

How to buy Obsidian Oil

Obsidian Oil is available to the trade through the Atticus Buying Group and direct from us. Every product is supplied in the pack sizes shown for its division, with data sheets and safety data sheets available on request.

About our specifications

Every grade is formulated to meet or exceed the industry and OEM specifications listed against it. Formal OEM approvals will be shown on individual products as they are granted. Always check the vehicle or equipment handbook for the specification required.

Get in touch

obsidianoil.com · Available through Atticus Buying Group and direct

TRADE CARTON

4 × 5 L





THE OBVIOUS CHOICE

HEALTHY ENGINES, HEALTHY ECONOMY

obsidianoil.com